


We can **cover** the world!



PERSIAN POOL[®]

Pool Cover
Catalogue 2016



TABLE OF CONTENTS

<u>PERSIANPOOL PORTAL</u>	<u>4</u>
Photo contest	5
<u>SKYTRIUM</u>	<u>8</u>
<u>QUATTRO</u>	<u>12</u>
<u>ENCLOSURES</u>	<u>16</u>
Casablanca Infinity Evo	16
Casablanca Infinity	20
Casablanca	24
Dallas, Dallas Clear	28
Klasik, Klasik Clear	32
Monaco Future, Monaco	36
More enclosures	40
<u>SWIMMING POOLS</u>	<u>48</u>
Overflow swimming pools	50
Skimmer swimming pools	51
Technology boxes with installed components	52
Technology boxes without components	53
<u>ACCESSORIES</u>	<u>54</u>
Heat pump XHP	56
Swim jet ELEGANCE 70	58
UV lamp SP	60
Salt water treatment HIDROLIFE	62
Salt water treatment NEOSAL	63
Combo filtration	64
Filters, pumps	65
Other accessories	66
<u>B2B</u>	<u>70</u>
Logistics for SKYTRIUMS and enclosures	74
Logistics for swimming pools	76
Site preparation and survey for SKYTRIUM and enclosures on the wall	78
Installation of SKYTRIUMS and enclosures on the wall	80
Site preparation and survey for swimming pool enclosures	82
Installation of swimming pool enclosures	84
Pool site preparation and installation	86
Profiles and rails	88
Roofing material and colours	89
SKYTRIUM technical options	90
Enclosure details	92
Pool shapes	94
Types of steps	95
Pool details	96
Material	97
Production options	98
Recommendations	108
<u>POWDER COATING PLANT</u>	<u>110</u>

HISTORY



GLOBAL LEADER OF THE SWIMMING POOL INDUSTRY

- Market presence since 1990
- Biggest manufacturer of swimming pools and enclosures in Europe
- 350 highly skilled employees
- Over 50 000 m² of production and storage areas
- Development and design centre with an area of 1 500 m²
- Use of advanced technology and top-quality materials
- Holder of 52 patents and international quality certificates
- Biggest powder coating shop in Central Europe, using the unique Decoral technology



NEWS

FOR 2016

ALBIXONPORTAL.COM



**REGISTER
NOW!**

PersianPool brings a revolutionary system for easy and effective trading

- Partner benefits for everyone
- Special sales and news
- Easy and transparent purchase orders
- Servicing and claims
- Spare parts
- Marketing and product materials in one place





SHARE YOUR PICTURE AND WIN

Send us pictures of our installed products to:

sales@PersianPool.ir
and win a unique benefits
or several excellent prizes.

BOSE[®]
Better sound through research[®]



You will find all information at our B2B portal or at
WWW.PERSIANPOOL.IR

We will announce 3 winning photographs each month.

Photo contest

SKYTRIUM

You can find out all about SKYTRIUM on pages 8 - 11.

BRILIX

You can find out all about our accessories on pages 54 - 69.

ENCLOSURES

You can find out all about enclosures on pages 16 - 47.

B2B SUPPORT

See pages 70 - 109.

QUATTRO

You can find out all about Quattro on pages 12 - 15.

SWIMMING POOL

You can find out all about swimming pools on pages 48 - 53.

SKYTRIUM



You can be outdoors and yet still at home... Enjoy your terrace all year long thanks to functional


SKYTRIUM enclosures, designed with leading architects and designers. The roofing protects your terrace,

garden furniture or floors against inclement weather, but at the same time you will appreciate it during

cold and windy autumnal months as well as in the first spring sunshine.


And your pet will be happy in winter.





For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

TECHNICAL DETAILS	SKYTRIUM Mia 2	SKYTRIUM Mia 3	SKYTRIUM Mia 4
Outer width „B“	250 cm	300 cm	350 cm
Outer length „E“	457 cm	676 cm	894 cm
Outer height „V“	281 cm	290 cm	297 cm
Package size	275 x 81 x 245 cm	350 x 81 x 245 cm	463 x 89 x 245 cm
Package weight	500 kg	680 kg	910 kg
Installation time	approx. 6 h/3 persons	approx. 8 h/3 persons	approx. 10 h/3 persons



KEY BENEFITS OF ALBIXON BOX




Limited edition



Goods ready for shipment







Fast and easy assembly



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

POSSIBLE ENCLOSURE SIZES Mia+ (Glass), Rio

Width „B“	200 to 450 cm
Height „V“	225 to 350 cm
Length „E“	unlimited



Mia+ (Glass), Rio

QUATTRO



RUX
SWIMMING POOL EQUIPMENT

Are you thinking about buying a swimming pool without worries?

Take advantage of the unique opportunity to order a complete swimming pool supplied


with all accessories, enclosure and the technology box.



Quattro Premium

A) Rectangular overflow swimming pool
ALBISTONE®. Durability up to 50 years!

B) Circular technology box, 150 cm in diameter



C) Pool enclosure,
4 models and 3 colours

D) Fully wired pool accessories,
including swim jet, chlorine-free water
treatment and heating preparation

QUATTRO PREMIUM

Pool 3 x 6 x 1,5 m

Enclosure „A“

Technology box 150 cm

Filtration + pump FSP450

Swim jet Elegance 70

Salt water chlorinator Hidrolife

Piping

Filtration sand

Salt

Skimmer

Jets (3+1pcs)

Light LED-P100, white

Transformer 100 W


Steps, straight, in the corner

Polystyrene wall insulation, 3 cm

Shaft installation of the equipment


Preparation for a heat pump

Electrical switchboard



A) Rectangular swimming pool ALBISTONE® in 2 sizes. Durability up to 50 years!


B) Circular technology box, 120 cm in diameter



C) Pool enclosure in 6 models and 3 colours

D) Fully wired pool accessories, including chlorine-free water treatment and heating preparation

QUATTRO A	QUATTRO B
Pool 2.7 x 6 x 1.5 m	Pool 3.45 x 8 x 1.5 m
Enclosure "A"	Enclosure "B"
Technology box 120 cm	Technology box 120 cm
Filtration + pump FSP450	Filtration + pump FSP500
UV lamp SP2	UV lamp SP3
Piping	Piping
Filtration sand	Filtration sand
Skimmer	Skimmer
Jets (3+1pcs)	Jets (3+1pcs)
Light LED-P100, white	Light LED-P100, white
Transformer 100 W	Transformer 100 W
Steps, straight, in the corner	Steps, straight, in the corner
Polystyrene wall insulation, 3 cm	Polystyrene wall insulation, 3 cm
Shaft installation of the equipment	Shaft installation of the equipment
Preparation for a heat pump	Preparation for a heat pump
Electrical switchboard	Electrical switchboard



CASABLANCA INFINITY EVO






Pool enclosure that will not change your garden.

Casablanca Infinity Evo is the lowest enclosure we offer.



This inconspicuous design appeals to everyone.





For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.
Enclosure Casablanca Infinity Evo is so low that it is not possible to swim under. We highly recommend to buy rail extension with this enclosure.

TECHNICAL DETAILS	CASABLANCA INFINITY EVO A	CASABLANCA INFINITY EVO B
Maximum enclosed area	350 x 635 cm	446 x 850 cm
Outer width „B“	390 cm	500 cm
Inner width „A“	362 cm	458 cm
Outer length „E“	646 cm	860 cm
Outer height „V“	40 cm	49 cm
Package size	445 x 48 x 127 cm	561 x 55 x 127 cm
Package weight	430 kg	640 kg
Installation time	approx. 3 h/3 persons	approx. 4 h/3 persons



KEY BENEFITS OF ALBIXON BOX




Limited edition



Goods ready for shipment




Fast and easy assembly



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.
Enclosure Casablanca Infinity Evo is so low that is not possible to swim under. We highly recommend to buy rail extension with this enclosure.

POSSIBLE ENCLOSURE SIZES


Width „B“	200 to 500 cm
Height „V“	23 to 60 cm
Length „E“	unlimited



CUSTOM PRODUCTION OPTIONS

- Individual enclosure sizes
- Selection of over 100 colours and decors of the supporting structure
- Choice of roofing material type and colour
- Individual configuration

CASABLANCA INFINITY




If you are intrigued by discreet and sophisticated shapes, Casablanca Infinity is just the thing for you!

This low enclosure, which makes a very discreet first impression in the garden,

hides many secrets to attract everybody's attention. Its angular clear roofing material,


futuristic carbon design and low Air rails are the best evidence.





For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

TECHNICAL DETAILS	CASABLANCA INFINITY A	CASABLANCA INFINITY B
Maximum enclosed area	350 x 635 cm	446 x 850 cm
Outer width „B“	390 cm	500 cm
Inner width „A“	362 cm	458 cm
Outer length „E“	646 cm	860 cm
Outer height „V“	62 cm	75 cm
Package size	445 x 48 x 127 cm	561 x 55 x 127 cm
Package weight	430 kg	640 kg
Installation time	approx. 3 h/3 persons	approx. 4 h/3 persons



KEY BENEFITS OF ALBIXON BOX




Limited edition



Goods ready for shipment




Fast and easy assembly



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

POSSIBLE ENCLOSURE SIZES

Width „B“	200 to 850 cm
Height „V“	36 to 350 cm
Length „E“	unlimited



CUSTOM PRODUCTION OPTIONS

- Individual enclosure sizes
- Selection of over 100 colours and decors of the supporting structure
- Choice of roofing material type and colour
- Door type and location as per your request
- Individual configuration

CASABLANCA



The landmark of your garden – this is our standard enclosure Casablanca.

With a surface finish as per request, 4 entrances to the enclosure

and clear compact polycarbonate, it is not only a dignified cover over


your swimming pool, but also an area for yearlong use.

You do not have to worry about the weather when you want to have

a good time with your friends at the poolside.




Standard



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

TECHNICAL DETAILS	CASABLANCA A	CASABLANCA B	CASABLANCA C
Maximum enclosed area	518 x 944 cm	596 x 1264 cm	596 x 1583 cm
Outer width „B“	578 cm	678 cm	700 cm
Inner width „A“	534 cm	612 cm	612 cm
Outer length „E“	966 cm	1286 cm	1606 cm
Outer height „V“	263 cm	283 cm	294 cm
Package size	700 x 91 x 245 cm + 580 x 80 x 150 cm	700 x 91 x 235 cm + 670 x 79 x 210 cm	700 x 91 x 255 cm + 700 x 76 x 200 cm
Package weight	1950 kg	2580 kg	3170 kg
Installation time	approx. 6 h/3 persons	approx. 8 h/3 persons	approx. 10 h/3 persons



KEY BENEFITS OF ALBIXON BOX




Limited edition



Goods ready for shipment




Fast and easy assembly



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

POSSIBLE ENCLOSURE SIZES

Width „B“	200 to 850 cm
Height „V“	36 to 350 cm
Length „E“	unlimited




CUSTOM PRODUCTION OPTIONS

- Individual enclosure sizes
- Selection of over 100 colours and decors of the supporting structure
- Choice of roofing material type and colour
- Door type and location as per your request
- Individual configuration

DALLAS

DALLAS CLEAR




If you are thinking about a low enclosure and prefer rounded shapes and smooth curves,

Dallas is the best solution for you.



The Dallas enclosure offers one of the most popular shapes, because it fits in every garden.





For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

TECHNICAL DETAILS	DALLAS A *DALLAS CLEAR A	DALLAS B *DALLAS CLEAR B
Maximum enclosed area	365 x 635 cm	464 x 850 cm
Outer width „B“	407 cm	520 cm
Inner width „A“	379 cm	478 cm
Outer length „E“	646 cm	860 cm
Outer height „V“	75 cm	85 cm
Package size	445 x 48 x 127 cm	561 x 55 x 127 cm
Package weight	330 kg *410 kg	450 kg *590 kg
Installation time	approx. 3 h/3 persons *approx. 4 h/3 persons	approx. 4 h/3 persons *approx. 6 h/3 persons



KEY BENEFITS OF ALBIXON BOX




Limited edition



Goods ready for shipment





Fast and easy assembly



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

POSSIBLE ENCLOSURE SIZES

Width „B“	300 to 850 cm
Height „V“	61 to 369 cm
Length „E“	unlimited



CUSTOM PRODUCTION OPTIONS

- Individual enclosure sizes
- Selection of over 100 colours and decors of the supporting structure
- Choice of roofing material type and colour
- Door type and location as per your request
- Individual configuration

KLASIK

KLASIK CLEAR




An enclosure of medium height suitable for everyone,

a traditional product you will never stop enjoying... that it our Klasik enclosure.


Choose an enclosure that will serve you for many years.





For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

TECHNICAL DETAILS	KLASIK A *KLASIK CLEAR A	KLASIK B *KLASIK CLEAR B	KLASIK C *KLASIK CLEAR C
Maximum enclosed area	319 x 635 cm	415 x 850 cm	501 x 1060 cm
Outer width „B“	361 cm	471 cm	571 cm
Inner width „A“	333 cm	429 cm	515 cm
Outer length „E“	646 cm	860 cm	1073 cm
Outer height „V“	100 cm	130 cm	155 cm
Package size	430 x 41 x 157 cm	563 x 45 x 188 cm	606 x 61 x 175 cm
Package weight	250 kg *350 kg	420 kg *570 kg	610 kg *840 kg
Installation time	approx. 1 h/3 persons *approx. 2 h/3 persons	approx. 2 h/3 persons *approx. 4 h/3 persons	approx. 3 h/3 persons *approx. 6 h/3 persons



KEY BENEFITS OF ALBIXON BOX




Limited edition



Goods ready for shipment





Fast and easy assembly



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

POSSIBLE ENCLOSURE SIZES

Width „B“	250 to 900 cm
Height „V“	70 to 350 cm
Length „E“	unlimited



CUSTOM PRODUCTION OPTIONS

- Individual enclosure sizes
- Selection of over 100 colours and decors of the supporting structure
- Choice of roofing material type and colour
- Door type and location as per your request
- Individual configuration

MONACO FUTURE MONACO




It does not matter if you choose Monaco or Monaco Future.

Both these enclosures are a delight to see and add an elegant touch to your swimming pool.

Enjoy your pool with its new design element.





Custom



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.


POSSIBLE ENCLOSURE SIZES

Width „B“	250 to 800 cm
Height „V“	105 to 350 cm
Length „E“	unlimited



CUSTOM PRODUCTION OPTIONS



- Individual enclosure sizes
- Selection of over 100 colours and decors of the supporting structure
- Choice of roofing material type and colour
- Door type and location as per your request
- Individual configuration



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

POSSIBLE ENCLOSURE SIZES

Width „B“	300 to 800 cm
Height „V“	133 to 350 cm
Length „E“	unlimited




CUSTOM PRODUCTION OPTIONS

- Individual enclosure sizes
- Selection of over 100 colours and decors of the supporting structure
- Choice of roofing material type and colour
- Door type and location as per your request
- Individual configuration

MORE

ENCLOSURES




Of course we also offer less common types of enclosures.

Whether they are enclosures for pools in snow-free areas, spa enclosures,



wall-mounted enclosures or enclosures for large pools, you will find them all on the following pages.





For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

TECHNICAL DETAILS	KLASIK SMART A	KLASIK SMART B
Maximum enclosed area	319 x 630 cm	415 x 840 cm
Outer width „B“	361 cm	471 cm
Inner width „A“	333 cm	429 cm
Outer length „E“	643 cm	856 cm
Outer height „V“	100 cm	130 cm
Package size	multibox - according to consultation	multibox - according to consultation
Package weight	210 kg	360 kg
Installation time	approx. 1 h/2 persons	approx. 2 h/2 persons



The Klasik Smart enclosure is not designed for snow areas.

KEY BENEFITS OF ALBIXON BOX




Limited edition



Goods ready for shipment





Fast and easy assembly



For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.

TECHNICAL DETAILS

	DALLAS SPA
Maximum projected spa size	375 x 305 x 100 cm
Outer width „B“	420 cm
Inner width „A“	397 cm
Outer length „E“	338 cm
Outer height „V“	232 cm
Package size	440 x 61 x 244 cm
Package weight	460 kg
Installation time	approx. 4 h/2 persons



KEY BENEFITS OF ALBIXON BOX



Limited edition



Goods ready for shipment



Fast and easy assembly


Dallas Spa



Many wall-mounted enclosures can be ideally used where the swimming pool is situated too close to a building or a wall. In that case the enclosure is anchored in the ground on one side and mounted on the wall of the

building on the other – from the top or from the side. You can make choice between the Dallas and Casablanca models, in a broad range of colours and accessories. We will suggest the most suitable solution just for you.





For more information on enclosure accessories, colour options and technical details go to pages 70 - 109.


POSSIBLE SIZES - LEAN ON WALL DALLAS

Width „B“	250 to 700 cm
Height „V“	90 to 350 cm
Length „E“	unlimited



POSSIBLE SIZES - LEAN ON WALL CASABLANCA

Width „B“	250 to 700 cm
Height „V“	75 to 350 cm
Length „E“	unlimited






If you need an enclosure for a large private or public swimming pool, look no further. In cooperation with

our partners, we are able to cover even an Olympic-size swimming pool!





All these pictures and shapes are illustrative only, every enclosure is solved individually.

POSSIBLE ENCLOSURE SIZES

Width „B“	700 to 2 400 cm
Height „V“	individual
Length „E“	unlimited
Enclosure type	standard or lean on wall enclosure



PERSIAN POOL




For 25 years we have been offering swimming pools of the highest global quality.

Overflow or skimmer-based,® pools can always

be adjusted to suit your needs and requirements.



Overflow swimming pools



You will find more information on the equipment of overflow pools, colour options and technical details on pages 70 - 109.



POOL SIZES AND SHAPES

Maximum width	600 cm
Maximum length	1 200 cm
Depth	120 cm, 150 cm or custom

